

Scout Report sent out
 Noted in the NID File
 Location map pinned
 Approval or Disapproval Letter
 Date Completed, P. & A. or
 operations suspended
 P n changed on location map
 Affidavit and Record of A & P
 Water Shut-Off Test
 Gas-Oil Ratio Test
 Well Log Filed

☒
☒
☒
☒
☐
☐
☐
☐
☐
☒

8-3-57

FILE NOTATIONS

Entered in NID File ☒
 Entered in G.S. Sheet ☒
 Location Map Pinned ☒
 Card Indexed ☒
 IWR for State or Fed Land

Checked by Chief ☒
 Copy NID to Field Office ☒
 Approval Letter ☒
 Disapproval Letter

COMPLETION DATA

Date Well Completed 8-3-57
 GW ☒ WH TA
 GW OS PA

Location Acquired
 Bonded
 State or Fed Land

LOGS FILED

Driller's Log 2-12-58

Electric Logs (No.) 3

E I E-I ☒ GR GR-N ☒ Micro ☒
 Lat. Mi-L. Sonic. Others


Form 9-331a
(Feb. 1961)

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City, Utah

Lease No. SL 070968-1

Unit



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 22, 1957

Well No. Burton 42-13 is located 3263 ft. from S line and 660 ft. from E line of sec. 13
SE NE 13 40S 23 SLRM
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Utah San Juan Utah
 (Field) (County or Subdivision) (State or Territory)

The elevation is 4984 ft. (approx. ground)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Drill 11" hole to 1200'±.
2. Run and cement 8 5/8" casing at 1200'± with 400 sacks cement.
3. Drill 7 7/8" hole to 6000'±.
4. If commercial production is obtained, a supplementary completion notice will be issued, otherwise plug and abandon in accordance with U.S.C.S. regulations.

Surface formation is Jurassic.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Shell Oil Company

Address 103 North Dekerd Avenue

Parsonage, New Mexico

By R. S. MacALISTER
R. U. Shepard
 Title Exploitation Engineer

7381 P S YAM



REFERENCE POINT DATUM-


1"x2" STAKES SET AT 10' N., S., E., & W. OF LOC.

1"x2" stakes and 3' flag set at 170'S., 300'W., 190'N., & 391'E. of Loc.
1½" x 4' CI pipe and lead cap set at Loc. being 3263' N. & 660' W. of
the SE corner of Sec. 13, T. 40 S., R. 23 E., SLM.

1"x2" hub and 3' flag bears 391' East from Loc. for BM. Elevations
hereon reference to graded ground, Gulf West Ismay No. 1.

This is to certify that the above plat was prepared from
field notes of actual surveys made under my supervision,
and that the same are true and correct to the best of my
knowledge and belief.

John A. Kroeger
John A. Kroeger, Reg. L.S.
Utah Reg. No. 1648



Drawn By: JAK

Checked By: *JAK*

Date: 5/17/57

SHELL OIL COMPANY

Scale 1" = 1000'

LOCATION OF BURTON 42 = 13

SAN JUAN COUNTY, UTAH, SEC. 13, T. 40 S., R. 24 E., SLM

May 24, 1957

Shell Oil Company
108 North Behrend Avenue
Farmington, New Mexico

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Burton 42-13, which is to be located 3263 feet from the south line and 660 feet from the east line of Section 13, Township 40 South, Range 24 East, SEPM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

OLEON B. FREIGHT
SECRETARY

CBF:en

cc: Phil McGrath/ Jerry Long
U.S.G.S. Farmington,
New Mexico

	13		
			X

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City, Utah

Lease No. SL 070968 A

Unit _____

*Noted
Calk
7-12-57*

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	X
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 10, 1957

Well No. Barton 42-13 is located 3263 ft. from N line and 660 ft. from E line of sec. 13

SE 13 (1/4 Sec. and Sec. No.) 408 (Twp.) 24E (Range) SLM (Meridian)
Arch (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 4984 ft. (Approx. ground)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

(Spudded 6-23-57)

6-29, 30-57 Hung 8-5/8", 24# and 32#, J-55 casing at 499' cemented with 200 sacks gel treated cement followed by 100 sacks calcium chloride treated cement. Good returns to surface. Flanged up and waited on cement. Pressure tested, BOP and casing with 700 psi for 15 minutes, OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 101 South Behrend

Farmington, New Mexico

By B. W. Shepard

Title B. W. Shepard
Exploitation Engineer

W

SHELL OIL COMPANY

Barton
WELL NO. 42-13DRILLING REPORT
FOR PERIOD ENDING

7-27-57

Aneth

(FIELD)

San Juan, Utah
(COUNTY)

13

(SECTION OR LEASE)

T40S, R23E

(TOWNSHIP OR RANCH)

DAY	DEPTHS		REMARKS
	FROM	TO	
1957			
6-28	0	410	<p><u>Location:</u> 3263 N and 660 W of SE corner of Sec. 13, T40S, R23E, SLBM, San Juan County, Utah.</p> <p><u>Elevations:</u> DF 4994.1 GR 4985.1 KB 4995.6</p> <p>Spudded 2 P.M. 6-28-57.</p> <p><u>Drilled 93'</u>. Ran and cemented 12 jts. 8-5/8", 24# & 32#, J-55 casing at 499' with 200 sacks 3% gel cement followed by 100 sacks neat, all treated with 2% Ca Cl₂. Good returns to surface. Flanged up and waited on cement. Pressure tested BOP and casing with 700 psi. O.K.</p> <p><u>Drilled 5243'</u>. Lost cone, recovered with magnet.</p> <p><u>Drilled 770'</u>. Ran Electrical Survey and Micrologs.</p> <p>Ran and cemented (6001') 5-1/2", 14# & 16#, J-55 casing at 6011' with 250 sacks treated cement. Final pressure 1500 psi.</p> <p>Picked up 2-7/8" tubing. Found plug 6010. Ran radioactivity logs with collar locator. Perforated at 5837-41, 5844-50, 5862-71, 5873-75' with four 1/2" holes/ft.</p> <p>Injected Acid washed 200 gal. mud acid, 2000 gal. XFW acid. Max. pressure 2500 psi. Injection pressure 2200 psi. Swabbed well in. Flowed 3 hours at 600 B/D oil and water, no cut reported.</p> <p>Killed well with water. Pulled tubing. Jet perforated at 5890-92, 5895-5917, 5928-34, 5936-41, 5943-51, 4 HPF. Ran tubing washed perforations with 500 gal. mud acid.</p> <p>Checked BOP daily.</p>
to	410	503	
6-29			
6-30	503	5747	
to			
7-21			
7-22	5243	6013	
to		TD	
7-23			
7-24			
7-25			
7-26			
7-27			

CONDITION AT BEGINNING OF PERIOD

HOLE			CASING SIZE	DEPTH SET
SIZE	FROM	TO		
DRILL PIPE SIZES				

B. B. ROBINSON

SIGNED

SHELL OIL COMPANY

WELL NO. 12-13

Aneth

(FIELD)

San Juan, Utah

(COUNTY)

DRILLING REPORT

FOR PERIOD ENDING

8-8-57

13

(SECTION OR LEASE)

T408, R23E

(TOWNSHIP OR RANGHO)


DAY	DEPTH		REMARKS
	FROM	TO	
1957			
7-28 to 7-29	6013 6010	TD PSTD	Parted swabbing line, pulled tubing, recovered swab. Ran tubing, installed Xmas tree. Rig released 3 A.M. 7-29-57.
7-30 to 8-2			Moved in Production Rig. Injected 2000 gal. XFW followed by 2000 gal. X100. Flushed with 35 bbls. water. Max. Pressure 3600 psi. 9 bbls/min injection rate. Bled to 0 in 10 min. Waited 2 hrs. Swabbed 2 hrs. Well started flowing.
8-3 to 8-8			Production test - Initial Production: 810 B/D gross, 810 B/D clean, 0.1% cut, 911 MCF/D, GOR 1125, Gravity 41° API, 48/64" bean, TP 150. Completed 8-3-57.

CONDITION AT BEGINNING OF PERIOD				
HOLE			CASING SIZE	DEPTH SET
SIZE	FROM	TO		
11"	0	503	8-5/8"	499'
7-7/8"	503	6013	5-1/2"	6011'
DRILL PIPE SIZE 4-1/2"				

R. L. Manning - Contractor
N. Ness - Pusher
G. G. Deerman - Driller
T. J. Moore - Driller
I. Endicott - Driller

B.B. ROBINSON

SIGNED



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City, Utah

Lease No. SL 070968A

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			
Notice of Intention to Complete Well			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 29, 19 57

Well No. Barton 42-13 is located 3263 ft. from S line and 640 ft. from E line of sec. 13

SE 13 (1/4 Sec. and Sec. No.) 40S (Twp.) 24E (Range) 34N (Meridian)
Arath (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the Kelly Dushing ~~monument~~ above sea level is 4995.6 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Status: Total Depth - 6013'.
Casing Size - 8-5/8" at 499'.
Hole Size - 7-7/8" from 499-6013'.

Proposed Work:

1. Cement 5-1/2" casing at 6011' with 250 sacks construction cement.
2. Clean out to 5995'.
3. Perforate four 1/2" holes/ft 5837-41', 5844-50', 5862-71' and 5873-75'.
4. Wash interval with 200 gal mud acid and acidize with 2000 gal HFV acid.
5. Shut well into production, produce until acid water is recovered.
6. Perforate four 1/2" holes/ft 5890-92', 5895-5917', 5928-34', 5936-41' and 4943-51'.
7. Acid wash with 336 gal mud acid.
8. Shut well into production, make production test.
9. Acid squeeze perforations with 2000 gal HFV acid, establish initial production.

I understand that this plan of work must receive approval in writing by the Geological Survey, Department of the Interior.


Company Shell Oil Company

Address 101 South Bohrend

Farmington, New Mexico

By B. V. Shepard

Title Exploitation Engineer



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City, Utah

Lease No. SL 070968A

Unit Burton

*Noted
CWS
8-14-57*

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of Well Completion</u> X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 8, 19 57

Well No. Burton 42-13 is located 3263 ft. from N line and 660 ft. from E line of sec. 13

NE 13 (1/4 Sec. and Sec. No.) 40S 24E (Twp.) SLM (Range) SLM (Meridian)
Arnoth (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the Kelly Bushing ~~derrick floor~~ above sea level is 4995.6 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 7-24-57 Ran & cemented 5-1/2" 14-16#, J-55 casing at 6011' w/250 sac treated cement. Final Pressure 1500 psi.
- 7-25-57 Picked up 2-7/8" tubing. Found plug 6010'. Ran radioactivity log with collar locator. Perf. 4 holes/ft. at 5837-41', 5844-50', and 5873-75' 5862-71'
- 7-26-57 Acid washed 200 gal. mud acid, 2000 gal KFW. Max. press. 2500 psi. Injection pressure 2200 psi. Swabbed. Flowed 596 B/D gross, 512 clean, out 14.1%, 40° API, 48/64" bean, GOR 1535.
- 7-27-57 Killed well with water. Pulled tubing. Jet perforated at 5890-92', 5895-5917', 5928-34', 5936-41', 5943-51' 4 holes/ft. Ran tubing. Washed w/500 gal. mud acid. Swabbing water.
- 7-29-57 Rig released 3 A.M. 7-29-57.

(Over)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 101 South Behrend

Farmington, New Mexico


By B.W. Shepard

Title R. W. Shepard
Exploitation Engineer

8-3, 4-97 - Injected 2000 gal. of XFW followed by 2000 gal. K100. Flushed with 35
bbls. water. Max. press. 3600 psi. 9 bbls/min. injection rate.
Shutted. Well flowing. Initial production test: 810 B/D gross,
810 B/D clean, 0% cut, gravity 41° API, 48/64" bean, TP 150 psi,
gas 911MCF/D. GOR 1125 (8-1/2 hr. test). Completed 8-4-97.

ALLOWED PRODUCTION OF WATER

ALLOWED PRODUCTION



UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

FILE *Grout* LOCATE WELL CORRECTLY

Company Shell Oil Company Address 101 S. Behrend, Farmington, N. M.
 Lessor or Tract Federal Field Aneth State Utah
 Well No. 12-1E Sec. 13 T. 40S R. 28E Meridian SLBM County San Juan
 Location 3253 ft. N. of S. Line and 650 ft. E. of E. Line of Sec. 13 Elevation 4995.6 KB
(Derive floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed David J. Leonard

Date September 10, 1957 Title Exploitation Engineer

The summary on this page is for the condition of the well at above date.

Commenced drilling June 22, 19 57 Finished drilling July 22, 19 57

OIL OR GAS SANDS OR ZONIS

(Gross) (Denote gas by G)

No. 1, from 5837 to 5875 No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from None noted to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and galled from	Perforated		Purpose
							From—	To—	
8-5/8 24.532#		8	Spang	429	Baker				Surface
5-1/2 14.416#		8	Spang	6004	Baker		5837	5875	Production
								(Gross)	

MUDDING AND CEMENTING RECORD

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8-5/8 499'		300	Displacement	-	-
5-1/2 6011'		250	Displacement	-	-

PLUGS AND ADAPTERS

Cleaned out
 Depth set

Heaving plug—Material Cement Length _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

FOLD MARK

MUDDING AND CEMENTING RECORD

FOLD MARK

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8-5/8"	499'	300	Displacement	-	-
5-1/2"	601'	250	Displacement	-	-

PLUGS AND ADAPTERS

Heaving plug—Material Cement Length Cleaned out
 Adapters—Material _____ Size Depth set

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned ft
			None			

TOOLS USED

Rotary tools were used from _____ feet to 6013 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

September 9, 19 57 Put to producing August 3, 19 57
 The production for the first 24 hours was 810 barrels of fluid of which 99.9 % was oil; _____ %
 emulsion; _____ % water; and 0.1 % sediment. Gravity, °Bé. 41° API
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES R. L. Manning Contractor

G. G. Peerman _____, Driller I. Indicott _____, Driller
T. J. Moore _____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
1785	2561	776	Chinle
2561	2672	111	Shinarump
2672	2780	108	Moenkopi
2780	4776	1996	Cutler
4776	5810	1034	Hermosa
5810	-	-	Paradox

February 18, 1958

Shell Oil Company
108 North Behrend
Farmington, New Mexico

Attention: B. W. Shepard, Exploitation Engineer

Re: Well No. Burton 42-13,
Sec. 13, T. 40 S, R. 24 E,
SEEM, San Juan County, Utah

Gentlemen:

This letter is to advise you that the well log for the above mentioned well has not as yet been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGCC-3, Log of Oil or Gas Well, in duplicate, and forward them to this office as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:cn

Encl.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN
(Other instru-
ment or re-
verse side)Form approved.
Budget Bureau No. 42-R1424.
5. LEASE DESIGNATION AND SERIAL NO.

SL 070968A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

D213

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

13. T40S, R23E, SLM

12. COUNTY OR PARISH 13. STATE

San Juan

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

TEXACO Inc. - *Shell*

3. ADDRESS OF OPERATOR

P. O. Box 810, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)

At surface

3263' from South line and 660' from East line

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4996' KB

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other) Convert to water injection

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Reason for remedial work is to convert well from oil producing status to a water injection status. Procedure will be as follows:

Pull rods and tubing. Run 2-3/8" plastic lined tubing with Baker Model "N" packer and set packer at 5790'. Connect wellhead and put on water injection until rate stabilizes. Acidize all perforations (5837' to 5841', 5844' to 5850', 5862' to 5871', 5873' to 5875', 5890' to 5892', 5895' to 5917', 5928' to 5934', 5936' to 5941' and 5943' to 5951') in three stages, with 9,000 gallons of 28% NE-HCL acid, 18,000 gallons of fresh water and 1,500 gallons of temporary plugging agent (gelled water and rock salt). Return water injection well to injection.

APPROVED BY UTAH OIL AND GAS
CONSERVATION COMMISSIONDATE 6-27-67 by *Paul W. Durrell*
CHIEF PETROLEUM ENGINEER

18. I hereby certify that the foregoing is true and correct

SIGNED

SIGNED: C. P. FARMER

TITLE

District Superintendent

DATE

6/22/67

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN 1
(Other instruc.
verse side)DATE
re-Form approved.
Budget Bureau No. 42-R1424.

SL 070968A

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Water Injection	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Nava Jo
2. NAME OF OPERATOR TEXACO Inc.	7. INTEREST NAME Anden Unit
3. ADDRESS OF OPERATOR Box 810, Farmington, New Mexico 87401	8. TERM OR LEASE NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 3263' from South Line and 660 from East Line	9. WELL NO. 6013
14. PERMIT NO.	10. FIELD AND POOL, OR WILDCAT Anden
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4996' KB	11. SEC. T., R., M., OR B.L. AND SURVEY OR AREA 13-740S. H-23E SLM
	12. COUNTY OR PARISH San Juan
	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>			

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 6020' - PB 6013'

Reason for workover was to convert from oil producing status to water injection. Procedure was as follows:

Moved in pulling unit and commenced workover 9/18/67. Pulled rods and tubing. Ran 2-7/8" plastic coated tubing with injection packer and set packer at 5799'. Loaded casing annulus with inhibited water. Waited for injection rate to stabilize. Treated all perforations (5837' to 5951') in three stages with a total of 9,000 gallons of 28% NE-HCL acid. 18,000 gallons of fresh water and 1,500 gallon salt plug. Treating pressure 3,700 psi with an average injection rate of 7.5 barrels per minute. Returned well to injection. Injected 1,585 barrels of water into well on 24 hour test ending 1/17/68 with injection tubing pressure of 650 psi.

18. I hereby certify that the foregoing is true and correct

SIGNED

(This space for Federal or State office use)

TITLE

District Superintendent 3/7/68

DATE

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

SL-070968A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☐ GAS WELL ☐ OTHER ☒ *Water Injection*
2. NAME OF OPERATOR
Texaco Inc - Prod. Dept. - Rocky MTN
3. ADDRESS OF OPERATOR
Box 2100, Denver, Colorado 80201 (GLE)
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

3263 FSL + 660 FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4996 KB (10')

7. UNIT AGREEMENT NAME

Aneth

8. FARM OR LEASE NAME

9. WELL NO.

D-213

10. FIELD AND POOL, OR WILDCAT

*Aneth Field*11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA*13-T40S-R²³E-SLM*

12. COUNTY OR PARISH

13. STATE

*San Juan**Utah*

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐
☐
☒

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

☐
☐
☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

3-12-72 Backflowed 75 BW and acidized w/ 750 gal. 15% inhibited HCL acid, displaced w/ injection water, Back-flowed 75 BW, injected 10 gal. biocide, placed on injection

Pressure	Rate	Injection Test (BWPD)	
		Before	after
<i>1150 - 2700</i>	<i>3 bpm.</i>	<i>300 @ 2225</i>	<i>500 @ 2100</i>

18. I hereby certify that the foregoing is true and correct

SIGNED

D. L. Eaton

TITLE

District Superintendent

DATE

4-25-72

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side

USGS(3) CGCC(2) NAVAJO Tribe - Superior Oil Co. - HNB-GLE-WLW

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

SL-070968A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. ☐ OIL WELL ☐ GAS WELL ☐ OTHER **Water Injection**

2. NAME OF OPERATOR

TEXACO, Inc.

3. ADDRESS OF OPERATOR

P.O. Box EE, Cortez, Colorado 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

3263' FSL & 660' FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4996' KB

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

D213

10. FIELD AND POOL, OR WILDCAT
Aneth Field

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

13-T40S-R24E- SLM

12. COUNTY OR PARISH

13. STATE

San Juan

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Commenced workover 8-5-74. Rigged up and pumped 35,000 SCF nitrogen from surface to T.D. Treat perfs with 700 gal. 15% HCL @ ½ BPM. Pumped 25,000 SCF nitrogen to displace HCL. Shut-in 15 min. Released pressure and put back on injection.

Injection after workover increased by 25 BWIPD.

18. I hereby certify that the foregoing is true and correct

SIGNED

Alvin R. May

TITLE

Field Foreman

DATE

8-17-75

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

USGS (3) , OGCC (2) , JAS, GLE, ARM, SUPERIOR, NAVAJO TRIBE

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TF
(Other instruct
verse side)

ATE
n re

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

SL-070968

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for proposals.)

1. OIL WELL ☐ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

3. ADDRESS OF OPERATOR

4. LOCATION OF WELL (Report location clearly and in accordance with State requirements.
See also space 17 below.)
At surface

SE/NE Sec. 14

2090' FNL: 790' FEL Sec. 14

Approximately 8 Miles NW of Montezuma Creek, UT

14. PERMIT NO.

43-037-15830

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4760' GR

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

D 213

10. FIELD AND POOL, OR WILDCAT

Aneth Field

11. SEC., T., R., M., OR BLK. AND
SURVEY OF AREA

Sec. 14, T40S, R23E

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

2/12/85

MIRUSU: Unseat Pkr. TIH and Tag @ 5804' KB TOO. Run bit & scraper and clean out to 6010' KB. Pull bit & scraper. TIH W/RBP and Pkr. Set RBP @ 5786' KB. Set Pkr. and test RBP to 1000# held. Moved Pkr. uphole & isolated csg. leaks between 5154' and 2345'. TOO. laydown Pkr. left RBP @ 5786' KB. RDMOSU shut well in to evaluate.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Area Superintendent

DATE 3/8/85

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

BLM-

(4) UOGCC (2) Navajo Tribe-RJH-JNH-ARM

*See Instructions on Reverse Side

FORM NO. DOGM-UIC-1

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING
ROOM 4241 STATE OFFICE BUILDING
SALT LAKE CITY, UTAH 84114
(801) 533-5771
(RULE 1-5)

IN THE MATTER OF THE APPLICATION OF

Texaco Inc.
ADDRESS P.O. Box EE
Cortez, Colo. ZIP 81321
INDIVIDUAL PARTNERSHIP CORPORATION X
FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR
INJECT FLUID INTO THE Aneth Unit D213 WELL
SEC. 13 TWP. 40S RANGE 23E
San Juan COUNTY, UTAH

CAUSE NO. _____

ENHANCED RECOVERY INJ. WELL ☒
DISPOSAL WELL ☐

APPLICATION

Comes now the applicant and shows the Division the following:

1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recovery injections or disposal operations.
2. That the applicant submits the following information.

Lease Name <u>Aneth Unit</u>	Well No. <u>D213</u>	Field <u>Aneth</u>	County <u>San Juan</u>
Location of Enhanced Recovery Injection or Disposal Well <u>SE NE</u> Sec. <u>13</u> Twp. <u>40S</u> Rge. <u>23E</u>			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Casing Test Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date _____	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile <u>1230</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		State What <u>Oil & Gas</u>
Location of Injection Source(s) <u>Aneth Unit Producing Wells</u> <u>San Juan River</u>		Geologic Name(s) and Depth of Source(s) <u>Desert Creek & Ismay</u> <u>± 5600</u>	
Geologic Name of Injection Zone <u>Paradox & Ismay & Desert Creek</u>		Depth of Injection Interval <u>5831</u> to <u>5951</u>	
a. Top of the Perforated Interval: <u>5831</u>	b. Base of Fresh Water: <u>1230</u>	c. Intervening Thickness (a minus b) <u>4601</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? <u>YES</u> NO			
Lithology of Intervening Zones <u>Sandstone, Limestone, Anhydrite w/ intermittent shale layers</u>			
Injection Rates and Pressures Maximum <u>2000</u> B/D <u>2500</u> PSI			
The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Been Sent			
<u>U.S. Dept of Interior</u>		<u>The Navajo Tribe</u>	
<u>2000 Adm. Bldg.</u>		<u>Box 196</u>	
<u>Salt Lake City, Utah</u>		<u>Window Rock,</u>	
<u>84109</u>		<u>Arizona</u>	

State of ColoradoCounty of Montezuma

Alvin R. Mary Field SEPT
Applicant

Before me, the undersigned authority, on this day personally appeared Alvin R. Mary
known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Subscribed and sworn to before me this 7 day of Oct., 19 83

SEAL

My commission expires 7-17-85


Matilda M. Reeling
235 S. Broadway - 7th Fl. Co.
Notary Public in and for _____

(OVER)

3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within ½ mile, together and with name of operator.
4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
5. Attach Electric or Radioactivity Log of Subject well (if released).
6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within ½ mile of injection well.
9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	8 5/8"	449'	300	Circ.	NA
Intermediate					
Production	5 1/2"	6013	250	NA	NA
Tubing	2 3/8"	5783	Name - Type - Depth of Tubing Packer Baker - Model R INTER - 5790		
Total Depth 6020	Geologic Name - Inj. Zone Desert Creek	Depth - Top of Inj. Interval 5831	Depth - Base of Inj. Interval 5951		



PLEASE TYPE OR USE BLACK INK ONLY

(To be filed within 30 days after drilling is completed) SL 070968 A

DEPARTMENT OF NATURAL RESOURCES AND ENERGY


COUNTY
LEASE NO.

DIVISION OF OIL, GAS, AND MINING

Room 4241 State Office Building

Salt Lake City, Utah 84114

API NO

640 Acres
NLocate Well Correctly
and Outline LeaseCOUNTY San Juan SEC. 13 TWP. 40S RGE. 23ECOMPANY OPERATING Texaco Inc.OFFICE ADDRESS P.O. Box EETOWN Cortez STATE Colo. ZIP 81321FARM NAME Aneth Unit WELL NO. D213DRILLING STARTED 6-28-1957 DRILLING FINISHED 7-29-1957DATE OF FIRST PRODUCTION 8-4-57 COMPLETED 8-4-57WELL LOCATED S 1/4 SE 1/4 NE 1/43263 FT. FROM SL OF SEC. & 4620 FT. FROM WL OF SEC.ELEVATION DERRICK FLOOR 4999 GROUND 4985

TYPE COMPLETION

Single Zone Desert Creek Order No. _____

Multiple Zone _____ Order No. _____

Comingled _____ Order No. _____

LOCATION EXCEPTION

OIL OR GAS ZONES

Name	From	To	Name	From	To
<u>Desert Creek</u>	<u>5825</u>	<u>5998</u>			

CASING & CEMENT

Casing Set				Csg. Test	Cement		
Size	Wgt	Grade	Feet	Psi	Sax	Fillup	Top
<u>8 5/8"</u>	<u>29 #32</u>	<u>NA</u>	<u>449'</u>	<u>NA</u>	<u>300</u>	<u>NA</u>	<u>Circ. to top</u>
<u>5 1/2"</u>	<u>14 #16</u>	<u>NA</u>	<u>6013'</u>	<u>NA</u>	<u>250</u>	<u>NA</u>	<u>NA</u>

PACKERS SET
DEPTH5790TOTAL DEPTH 6020

COMPLETION & TEST DATA BY PRODUCING FORMATION

FORMATION	1	2	3
<u>Desert Creek</u>			
SPACING & SPACING ORDER NO.	<u>40 Acre</u>		
CLASSIFICATION (Oil; Gas; Dry; Inj. Well)	<u>oil well</u>		
PERFORATED	<u>5831-5951</u>		
INTERVALS			
ACIDIZED?	<u>2500 gals. HCL Reg.</u>		
FRACTURE TREATED?			


INITIAL TEST DATA

Date	<u>8-4-83</u>		
Oil. bbl./day	<u>810</u>		
Oil Gravity	<u>410</u>		
Gas. Cu. Ft./day	<u>911 000</u>	CF	CF
Gas-Oil Ratio Cu. Ft./Bbl.	<u>1125</u>		
Water-Bbl./day	<u>0</u>		
Pumping or Flowing	<u>Flowing</u>		
CHOKE SIZE	<u>48/64"</u>		
FLOW TUBING PRESSURE	<u>150</u>		

A record of the formations drilled through, and pertinent remarks are presented on the reverse.
(use reverse side)

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

Telephone 303-565-8401Abel R. Mary Field Sept
Name and title of representative of companySubscribed and sworn before me this 7 day of October, 19 83Marilyn M. Deering
T. Deering




NL Treating Chemicals/NL Industries, Inc.

P.O. Box 1675, Houston, Texas 77001

WATER ANALYSIS REPORT

COMPANY TEXACO, INCORPORATED						SHEET NUMBER 1	
FIELD ANETH						DATE 5 APRIL 1982	
WELL(S) NAME OR NO. INJECTION WATER				COUNTY OR PARISH SAN JUAN		STATE UTAH	
LEASE OR UNIT ANETH		SAMPLE SOURCE PLANT		WATER SOURCE (FORMATION)			
DEPTH, FT.	BHT, F	TEMP, F	WATER, BBL/DAY	OIL, BBL/DAY	GAS, MMCF/DAY		
DATE SAMPLED 6 APRIL 1982		TYPE OF WATER <input type="checkbox"/> PRODUCED <input checked="" type="checkbox"/> SUPPLY <input checked="" type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER DISPOSAL					



DISSOLVED SOLIDS

CATIONS	me/l*	mg/l*
Total Hardness	392.0	
Calcium, Ca ⁺⁺	268.0	5360.0
Magnesium, Mg ⁺⁺	124.0	1519.0
Iron (Total) Fe ⁺⁺⁺	0.5	10.0
Barium, Ba ⁺⁺	—	1.0
Sodium, Na ⁺ (calc.)	1035.1	23807.3

ANIONS	me/l*	mg/l*
Chloride, Cl ⁻	1380.3	49000.0
Sulfate, SO ₄ ⁼	24.5	1175.0
Carbonate, CO ₃ ⁼	0.0	0.0
Bicarbonate, HCO ₃ ⁻	4.0	244.0
Hydroxyl, OH ⁻	0.0	0.0
Sulfide, S ⁼	18.8	300.0

DISSOLVED GASES

Hydrogen Sulfide, H ₂ S	337.5 mg/l*
Carbon Dioxide, CO ₂	185.0 mg/l*
Oxygen, O ₂	1.0 mg/l*

PHYSICAL PROPERTIES

pH	6.65
Eh (Redox Potential)	N.D. MV
Specific Gravity	N.D.
Turbidity, JTU Units	N.D.
Total Dissolved Solids (calc.)	81385.3 mg/l*
Stability Index @ 77 F	+0.39
@ 140 F	+1.32
CaSO ₄ Solubility @ 77 F	306.6 me/l*
@ 176 F	306.8 me/l*
Max. CaSO ₄ Possible (calc.)	24.5 me/l*
Max. BaSO ₄ Possible (calc.)	1.0 mg/l*
Residual Hydrocarbons	N.D. ppm(Vol/)

SUSPENDED SOLIDS (QUALITATIVE)

Iron Sulfide ☐ Iron Oxide ☐ Calcium Carbonate ☐ Acid Insoluble ☐

REMARKS AND RECOMMENDATIONS:

WATER SHOWS A TENDENCY TOWARD SCALING; PRIMARILY CALCIUM CARBONATE

* NOTE: me/l and mg/l are commonly used interchangeably for epm and ppm respectively. Where epm and ppm are used, corrections should be made for specific gravity.

BTC ENGINEER MARK BROTHERS	DIST. NO. 12	ADDRESS FARMINGTON, N.M.	OFFICE PHONE 505-325-5701	HOME PHONE 505-325-48
ANALYZED	DATE	DISTRIBUTION		

TEXACO

INSTRUCTIONS - CANCELS LETTER(S) OF

SIGNED BY

☐ PERMANENT☐ ROUTINE☐ TEMPORARY

19

(LOCATION)

(DATE)

Subject: Water Analysis from
Navajo Aquifer

Aneth Unit H415

Location - SE 1/4 - SE 1/4 Sec 15, T40S, R24E

Sample Date - 1-17-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 8.7

Total Dissolved Solids - 2573 ppm

SiO₂ - 16 ppmCa⁺⁺ - 7 ppmMg⁺⁺ - 28 ppmNa⁺ - 76 ppmCO₃⁼ - 130 ppmHCO₃⁼ - 156 ppmSO₄⁼ - 599 ppmCl⁻ - 757 ppm

Aneth Unit G422

Location - SW 1/4 - SE 1/4 Sec 22, T40S, R24E

Sample Date - 1-18-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 9.2

Total Dissolved Solids - 2823 ppm

SiO₂ - 17 ppmCa⁺ - 6 ppmMg⁺⁺ - 8 ppmNa⁺ - 915 ppmCO₃⁼ - 925 ppmHCO₃⁼ - 912 ppmSO₄⁼ - 265 ppmCl⁻ - 271 ppm* Note: these numbers were obtained from Texaco Files
in the Denver Division offices.

If letter requires reply prepare in triplicate, forwarding original and duplicate, and retain copy.

P.O. Box 2100

Denver, Colo.

80201

By

ADDRESSEE: Use reverse side to reply. Return original. Retain duplicate.

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

Operator: Isaco Well No. Smith Unit D213
 County: San Juan T 40S R 23E Sec. 13 API# 43-037-15830
 New Well ☐ Conversion ☐ Disposal Well ☐ Enhanced Recovery Well ☒

	YES	NO
UIC Forms Completed	<u>X</u>	_____
Plat including Surface Owners, Leaseholders, and wells of available record	<u>✓</u>	_____
Schematic Diagram	<u>✓</u>	_____
Fracture Information	<u>✓</u>	_____
Pressure and Rate Control	<u>✓</u>	_____
Adequate Geologic Information	<u>✓</u>	_____
Fluid Source	<u>Desert Creek - Isaco</u>	

Analysis of Injection Fluid	Yes <u>✓</u>	No _____	TDS <u>81,385</u>
Analysis of Water in Formation to be injected into	Yes <u>✓</u>	No _____	TDS <u>81,385</u>

Known USDW in area Mary's Depth 1230
 Number of wells in area of review 1 Prod. 4 P&A 0
 Water 0 Inj. 3

Aquifer Exemption	Yes _____	NA <u>✓</u>
Mechanical Integrity Test	Yes _____	No <u>✓</u>
Date _____	Type _____	

Comments: _____

Reviewed by: CBJ

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

6. LEASE DESIGNATION AND SERIAL NO.

SL-070968

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

D213

10. FIELD AND POOL, OR WILDCAT

Aneth Field

11. SEC., T., R., W., OR ALLE. AND
SURVEY OR AREA

Sec. 14, T40S, R23E

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☐ GAS WELL ☐ OTHER ☒ Injection Well

2. NAME OF OPERATOR

Texaco Inc.

3. ADDRESS OF OPERATOR

P.O. Box EE, Cortez, CO. 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

SE/NE Sec. 14

2090' FNL & 790' FEL

Approximately 8 Miles NW Of Montezuma Cr, UT

14. PERMIT NO.

43-037-15830

15. ELEVATIONS (Show whether DT, AT, ON, etc.)

4760' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Extend SI Status

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)

7/29/85 - This well is currently SI, with a confirmed casing leak. We
are evaluating the economics of repairing this wellbore at this time.

18. I hereby certify that the foregoing is true and correct

SIGNED

Alan R. Mary

TITLE

Area Supt.

DATE

7/31/85

(This space for Federal or State office use)

APPROVED BY

Elmer B. Feigert

TITLE

VIC Manager

DATE

8-7-85

CONDITIONS OF APPROVAL, IF ANY:

BLM - (4) - UOGCC (3) - AJS-JNH-ARM

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIP
(Other instruction
verse side)

DATE

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back. For such proposals, use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER Injection Well	7. UNIT AGREEMENT NAME Aneth Unit
2. NAME OF OPERATOR Texaco Inc.	8. FARM OR LEASE NAME Unit
3. ADDRESS OF OPERATOR P.O. Box EE, Cortez, CO. 81321	9. WELL NO. D213
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface SE/NE Sec. 13 2090' FNL & 790' FEL Approximately 8 Miles NW Of Montezuma Cr, UT.	10. FIELD AND POOL, OR WILDCAT Aneth Field
14. PERMIT NO. 43-037-15430	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec.13, T40S, R23E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4760' GR	12. COUNTY OR PARISH San Juan
	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other) Extend SI Status

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

AMENDED REPORT

7/29/85 - This well is currently SI, with a confirmed casing leak. We are evaluating the economics of repairing this wellbore at this time.

18. I hereby certify that the foregoing is true and correct

SIGNED *Chas R. Mandy*

TITLE Area Supt.

DATE 8/29/85

(This space for Federal or State office use)

APPROVED BY *Elton B. Feight*
CONDITIONS OF APPROVAL, IF ANY:

TITLE *VIC Manager*

DATE 9-9-85

BLM (4) - UOGCC (3) - JHN-AJS-ARM

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Injection Well		5. LEASE DESIGNATION AND SERIAL NO. SL-070968	
2. NAME OF OPERATOR Texaco Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P. O. Box EE, Cortez, CO. 81321		7. UNIT AGREEMENT NAME Aneth Unit	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 2017' FNL & 660' FEL		8. FARM OR LEASE NAME Unit	
14. PERMIT NO.		9. WELL NO. D213	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4760' GR		10. FIELD AND POOL, OR WILDCAT Aneth Field	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 13, T40S, R23E	
		12. COUNTY OR PARISH San Juan	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input checked="" type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)			

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)			

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Texaco Inc. requests approval to repair and return to injection status

A. U. D213.

Proposed Procedure:

- 1) Clean out wellbore to 6000'.
- 2) TIH W/4" 11.6# J-55 SFJ Hydril Casing. Land @ 6000'.
- 3) Cement 4" Csg. to surface.
- 4) Clean out to 5960'.
- 5) Perforate W/2 JSPF-5837'-41'; 5844'-50'; 5862'-71'; 5873'-77'; 5890'-92'; 5895'-5917'.
- 6) Acidize all perms W/30000⁰ 10 gal. 15% Hcl Acid.
- 7) Run injection string & Packer. Inhibit backside psi test to 1000 psi. Begin Injection.

18. I hereby certify that the foregoing is true and correct

SIGNED M.S. Vidulich B.R. May TITLE AREA SUPERINTENDENT DATE 11/6/85

(This space for Federal or State office use)

APPROVED BY Don B. Fought TITLE UIC Manager DATE 11-18-85
CONDITIONS OF APPROVAL, IF ANY:

BLM (4) - UOGCC (3) - JNH-LAA-ARM-DLB

*See Instructions on Reverse Side

TEXACO U.S.A.
P. O. Box 2100
Denver, CO 80201
4601 DTC Boulevard
Denver, CO 80237



November 26, 1985

RECEIVED

DEC 05 1985

State of Utah
Natural Resources
Oil, Gas and Mining
355 W. North Temple
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

DIVISION OF OIL
GAS & MINING

Attn: Ms. Pam Kenna

Dear Ms. Kenna:

405. 23E. 13

In response to your request of October 1, 1985 (see attached letter), please be advised that Texaco Inc. took over operations of Shell's wells in the Aneth Unit on September 1, 1961. Listed below are the wells involved.

<u>Former Names</u>	<u>Well No.</u>	<u>Current Names</u> <u>Well No.</u>
Shell and Three States Mesa	1	Aneth Unit C411
" " " " "	2	" " D311
Shell - Burton Federal	14-12	" " A412
" " "	34-12	" " C412
" " "	43-12	" " D312
" " "	23-12	" " B312
" " "	31-12	" " C112
" " "	14-13	" " A413
" " "	23-13	" " B313
" " "	33-13	" " C313
" " "	42-13	" " D213
" " "	12-13	" " A213
" " "	21-13	" " B113
" " "	31-13	" " C113
" " "	44-13	" " D413
" " "	22-13	" " B213

43-037-15830

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Injection Well		5. LEASE DESIGNATION AND SERIAL NO. SL-070968	
2. NAME OF OPERATOR TEXACO INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P. O. BOX EE, Cortez, Co. 81321		7. UNIT AGREEMENT NAME Aneth Unit	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 2017' FNL & 660' FEL		8. NAME OR LEASE NAME ANETH UNIT	
14. PERMIT NO.		9. WELL NO. D213	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4760' GR		10. FIELD AND POOL, OR WILDCAT Aneth Field	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 13, T40S, R23E	
		12. COUNTY OR PARISH San Juan	
		13. STATE Utah	

RECEIVED
JUN 16 1986

DIVISION OF
OIL, GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Run 4 1/2" Liner-Perf & Acidize <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

5/14/86 Commenced WO

Run Bit & Scraper clean out to 6000' KB.
Run Gage Ring to 5837'.
Run Floatshoe 1 JT csg. Float collar 154 Jts 4" 11.34# J55 FL4s csg.
Landed csg @ 5995.41' KB. Rig up cement truck pumped 20 bbls fresh water spacer. Cement w/200 sx class B lite, followed with 50 sx class B @ 2 BPM @ 1000psi. displace to float collar w/fresh water. Landed csg installed well head. Drilled out cement to 5940'. tested to 1500psi held. Perforated 5837-41, 5844-50, 5862-71, 5873-77, 5890-92, 5895-5917, with 2 JSPF. Run tbg & pkr set pkr @ 5763' KB. acidize gross perf w/72 bbls 15% Hcl w/additives avge 1.6 BPM @ 1925 psi. ISIP 1600 psi. Swab back load fluid. Ran new 2 3/8" pc tbg & pkr. Inhibit annulus with corrosion inhibitor set pkr @ 5758.51' KB. test annulus to 1500 psi held. Flange up well head. RDMOSU place well on injection.

18. I hereby certify that the foregoing is true and correct

SIGNED Alan R. Marx

TITLE Area Superintendent

DATE 6/13/86

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

BLM (4) UOGCC (3) JNH LAA ARM

✓
This well was shut in, in
the summer of 85' - Due to
casing leak.

UTAH DIVISION OF OIL, GAS AND MINING
CASING-BRADENHEAD TEST

Phased Back on injection
in May 1986

OPERATOR: Texaco Oil Co.

FIELD: Aneth

LEASE: _____

WELL # D 213

SEC. 13 TOWNSHIP 40S RANGE 23E

STATE FED. FEE _____ DEPTH 6020 TYPE WELL INJW MAX. INJ. PRESS. 2500
2000

TEST DATE 11/13/86

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>	<u>8 5/8</u>	<u>449'</u>	<u>300</u>	<u>cmf</u>		
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>	<u>5 1/2"</u>	<u>6013</u>	<u>250'</u>	<u>0</u>		
<u>TUBING</u>	<u>2 3/8"</u>	<u>5783'</u>		<u>2100</u>		

Baker Model R C 5798.

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						
<u>TUBING</u>						

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						
<u>TUBING</u>						

DATE: 05/02/91

WELLS BY OPERATOR

PAGE: 91

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME
NO980	TEXACO INC	365	GREATER ANETH	S400	E240	21	NESW	4303730185	IS-DC	POW	7000	ANETH U F321
				S400	E240	9	SWSW	4303730189	DSCR	POW	7000	ANETH U E409
				S400	E240	17	NESE	4303730196	DSCR	POW	7000	ANETH U H317
				S400	E240	20	NENE	4303730198	DSCR	PA	7000	ANETH U H120
				S400	E250	30	NESE	4303730225	DSCR	POW	7000	ANETH U M330
				S400	E240	25	SWSE	4303730238	DSCR	POW	7000	ANETH U G425
				S400	E240	14	SESW	4303730274	DSCR	POW	7000	ANETH U F414
				S400	E230	13	SWSE	4303730298	DSCR	POW	7000	ANETH U C413
				S400	E240	26	NENW	4303730310	DSCR	POW	7000	ANETH U F126
				S400	E240	23	NESE	4303730316	DSCR	TA	7000	ANETH U H323
				S400	E240	22	NESW	4303730345	DSCR	POW	7000	ANETH U F322
				S400	E240	26	SWNE	4303730369	DSCR	POW	7000	ANETH U G226
				S400	E240	35	NESE	4303730412	DSCR	POW	7000	ANETH U H335
				S400	E230	14	SENW	4303730635	DSCR	POW	7000	ANETH U B214
				S400	E240	28	NENE	4303730644	IS-DC	SOW	7000	ANETH U H128
				S400	E250	30	NENW	4303730646	DSCR	POW	7000	ANETH U K130
		200	FENCE CANYON	S150	E220	26	NESE	4304716198	DKTA	SGW	7015	FENCE CYN U 2
				1	WILDCAT	S140	E090	19	SESE	4300730093	MRSN	WDW
		365	GREATER ANETH	S400	E240	9	SESE	4303716324	ISMY	POW	7000	ANETH U H409
				1	WILDCAT	S140	E090	21	NWSW	4300730105	LA	99998
				S150	E090	8	SESE	4300730106	PA	99999	GOV'T E.Y. HOLMES(NCT-1)	
				365	GREATER ANETH	S400	E240	18	SWNW	4303731077	DSCR	POW
				S400	E240	21	C-NW	4303731078	DSCR	POW	7000	ANETH UNIT E121SE
				680	SEEP RIDGE	S140	E220	3	SENE	4304730135	DK-MR	PA
			47 UNNAMED 20-14S9	S140	E090	20	NESE	4300730107	FRSD	SGW	7101	E. G. TELONIS ETAL #1
				1	WILDCAT	S140	E090	23	NENW	4300730109	LA	99998
		365	GREATER ANETH	S400	E240	15	NWNW	4303731117	LA	99998	ANETH UNIT #E115	
				S400	E240	16	NENE	4303731118	LA	99998	ANETH UNIT #H116	
				S400	E230	13	C-SE	4303731076	IS-DC	SOW	7000	ANETH UNIT C313SE
				1	WILDCAT	S310	E240	5	NESW	4303730612	TA	7100
				S310	E240	6	NENE	4303730572	ISMY	SOW	7100	GOVT EVELYN CHAMBERS #1
				365	GREATER ANETH	S400	E230	13	SENW	4303715830	DSCR	POW
				S400	E230	1	SESW	4303715492	ISMY	SOW	7000	HICKMAN FED 1 (B401)
				S400	E230	13	SWNW	4303715821	DSCR	POW	7000	BURTON 12-13 (A213)
				S400	E230	13	SWSW	4303715823	DSCR	POW	7000	BURTON 14-13 (A413)
				S400	E230	13	NESW	4303715826	DSCR	POW	7000	BURTON 23-13 (B313)
				S400	E230	13	SWNE	4303730173	DSCR	POW	7000	ANETH U C213
				S400	E230	14	NWNW	4303730634	DSCR	SOW	7000	ANETH U A114
				S400	E230	14	SWNW	4303716030	DSCR	POW	7000	ARROWHEAD 7 (A214)
				S400	E230	14	NWSE	4303730637	DSCR	POW	7000	ANETH U C314
				S400	E230	14	SESE	4303730639	DSCR	SOW	7000	ANETH U D414
				S400	E240	7	NESE	4303730122	DSCR	POW	7000	ANETH U H307
				S400	E240	9	SWNW	4303716057	IS-DC	POW	7000	NAV TRB E-18 (E209)
				S400	E240	8	NESW	4303730176	DSCR	POW	7000	ANETH U F308
				S400	E240	8	SWSE	4303730152	IS-DC	POW	7000	ANETH U G408
				S400	E240	9	NWSB	4303716102	ISMY	POW	7000	NAV TRB E-3 (G309)
				S400	E240	13	NWSW	4303730200	DSCR	POW	7000	ANETH U E313

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

RECEIVED

MAY 28 1991

Well name and number: _____		See Attached Listing	DIVISION OF OIL GAS & MINING
Field or Unit name: _____		API no. _____	
Well location: QQ _____ section _____ township _____ range _____ county _____			
Effective Date of Transfer: <u>6-1-91</u>			
CURRENT OPERATOR			
Transfer approved by:			
Name	<u>R. S. Lane</u>	Company	<u>Texaco Inc.</u>
Signature	<u><i>R. S. Lane</i></u>	Address	<u>P. O. Box 3109</u>
Title	<u>Attorney-in-Fact</u>		<u>Midland, TX 79702</u>
Date	_____	Phone (915)	<u>688-4100</u>
Comments: Correspondence Address: <u>Texaco Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>			
NEW OPERATOR			
Transfer approved by:			
Name	<u>R. S. Lane</u>	Company	<u>Texaco Exploration and Production Inc.</u>
Signature	<u><i>R. S. Lane</i></u>	Address	<u>P. O. Box 3109</u>
Title	<u>Attorney-in-Fact</u>		<u>Midland, TX 79702</u>
Date	_____	Phone (915)	<u>688-4100</u>
Comments: Correspondence Address: <u>Texaco Exploration and Production Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>			
(State use only)			
Transfer approved by <u><i>Neil Hunt</i></u>		Title <u><i>UIC Manager</i></u>	
Approval Date <u><i>6-26-91</i></u>			



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPlicate
(Instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
10. FIELD AND POOL, OR WILDCAT		9. WELL NO.
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA		12. COUNTY OR PARISH; 13. STATE
14. PERMIT NO.	15. ELEVATIONS (Show whether of, to, or, etc.)	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) Transfer of Owner/Operator <input type="checkbox"/>	

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log (form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed:

Attorney-In-Fact
for Texaco Inc.

Date:

3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed:

Title: Division Manager

Date:

3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Division Manager

DATE

3/1/91

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

COMMENTS OF APPROVAL, IF ANY:

STA OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify)		6. Lease Designation and Serial Number
2. Name of Operator Texaco Exploration and Production Inc.		7. Indian Allottee or Tribe Name
3. Address of Operator 3300 North Butler, Farmington, NM 87401		8. Unit or Communitization Agreement
4. Telephone Number (505) 325-4397		9. Well Name and Number
5. Location of Well Footage : QQ, Sec. T., R., M. : See Attached		10. API Well Number
County : State : UTAH		11. Field and Pool, or Wildcat

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
<p style="text-align: center;">NOTICE OF INTENT (Submit in Duplicate)</p> <div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <input type="checkbox"/> Abandonment <input type="checkbox"/> Casing Repair <input type="checkbox"/> Change of Plans <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Multiple Completion <input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u> </div> <div style="width: 48%;"> <input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Recompletion <input type="checkbox"/> Shoot or Acidize <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off </div> </div> <p>Approximate Date Work Will Start _____</p>	<p style="text-align: center;">SUBSEQUENT REPORT (Submit Original Form Only)</p> <div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <input type="checkbox"/> Abandonment * <input type="checkbox"/> Casing Repair <input type="checkbox"/> Change of Plans <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Fracture Treat <input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u> </div> <div style="width: 48%;"> <input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Shoot or Acidize <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off </div> </div> <p>Date of Work Completion _____</p> <p>Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.</p>

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.

NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.

SIGNED: *R. L. Lane*
Attorney-in-Fact

SIGNED: *R. L. Lane*
Assistant Division Manager

DATE: _____

DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____ Title Asst. Div. Manager Date _____
(State Use Only)

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1- LCR/GIL	✓
2- DTS/DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

Change of Operator (well sold)
Designation of Operator

☐ Designation of Agent
☒ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)

(TEXACO EXPLORATION AND PRODUCTION INC.)

TO (new operator) TEXACO E & P INC.
(address) 3300 NORTH BUTLER
FARMINGTON, NM 87401
BRENT HELQUIST
phone (505) 325-4397
account no. N 5700 (6-5-91)

FROM (former operator) TEXACO INC.
(address) 3300 NORTH BUTLER
FARMINGTON, NM 87401
FRANK
phone (505) 325-4397
account no. N 0980

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) no ____ If yes, show company file number: #114097.
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
6. Cardex file has been updated for each well listed above.
7. Well file labels have been updated for each well listed above. (will update when filing)
8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) (yes). Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____. #m157448 80,000-Ins. Co. of N. America

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

FILED

1. All attachments to this form have been microfilmed. Date: July 15 1991.

FILED

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

- 910606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.
- 910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.
- 910607 St. Lands approved 4-15-91 "merger".

Utah Division of Oil, Gas, and Mining
Casing - Bradenhead Test

Operator: TEXACO E & P INC.

Field/Unit: GREATER ANETH

Well: D-213

Township: 40S Range: 23E Sect:13

API: 43-037-15830

Welltype: INJW Max Pressure: 2500

Lease type: FEDERAL

Surface Owner: BLM

Test Date:

10/15/91

CASING STRING	SIZE	SET AT	PRESSURE	OBSERVATIONS
---------------	------	--------	----------	--------------

Surface:	8 5/8	449		
----------	-------	-----	--	--

TP = 1800 =

Intermediate:		0		
---------------	--	---	--	--

Production:	5 1/2	6013		
-------------	-------	------	--	--

1000 PSI

held 15 min

Other:	4	5995		
--------	---	------	--	--

Passed MIT

Tubing:	2 3/8			
---------	-------	--	--	--


Packer:		5758		
---------	--	------	--	--

Refams.

Recommendations:

3213

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

5. Lease Designation and Serial No.

SL-070968-A

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE

1. Type of Well: ☐ OIL WELL ☐ GAS WELL ☒ OTHER INJECTION WELL

2. Name of Operator
TEXACO EXPLORATION & PRODUCTION, INC.

3. Address and Telephone No.
3300 N. Butler Ave., Suite 100 Farmington NM 87401 325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit Letter H : 2090 Feet From The NORTH Line and 660 Feet From The

EAST Line Section 13 Township T40S Range R23E

7. If Unit or CA, Agreement Designation

8. Well Name and Number

ANETH UNIT

D213

9. API Well No.

4303715830

10. Field and Pool, Exploratory Area
DESERT CREEK

11. County or Parish, State

SAN JUAN, UTAH

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION

TYPE OF ACTION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ OTHER: CLEAN OUT

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TEXACO E. & P., INC. HAS CLEANED OUT THE WELLBORE IN THE SUBJECT WELL. THE FOLLOWING PROCEDURE WAS FOLLOWED:

1/04/95. MIRUSU. NUBOP. TOOH WITH INJECTION EQUIPMENT. RIH WITH BIT ON WORKSTRING. TAGGED FILL AND DRILLED DOWN TO PBTD @ 6000'. CIRCULATED HOLE. TOOH WITH BIT. RIH WITH SCRAPER. TOOH. RU AND HYDRO-TESTED TBG IN HOLE. FOUND HOLE IN TBG AND REPLACED. NDBOP. NU WELLHEAD AND CIRCULATED CHEMICAL. SET PACKER @ 5723' AND PRESSURE TESTED CSG TO 1000#. HELD GOOD. RDMOL. PUT ON INJECTION.

14. I hereby certify that the foregoing is true and correct

SIGNATURE Rached Hindi TITLE Senior Engineer

DATE 3/5/96

TYPE OR PRINT NAME Rached Hindi

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

INJECTION WELL - PRESSURE TEST

Well Name: Aneth D 213 API Number: 43-037-15830
Qtr/Qtr: SENW Section: 13 Township: 40 S Range: 23 E
Company Name: Texaco E & P Inc.
Lease: State _____ Fee _____ Federal X Indian _____
Inspector: K. M. Hebertson Date: 15-April-1999

Initial Conditions:

Tubing - Rate: 128 Pressure: 2150 psiCasing/Tubing Annulus - Pressure: 0 psi

Conditions During Test:

Time (Minutes)	Annulus Pressure	Tubing Pressure
0	<u>1000</u>	<u>2150</u>
5	<u>1000</u>	<u>2150</u>
10	<u>1000</u>	<u>2150</u>
15	<u>1000</u>	<u>2150</u>
20	_____	_____
25	_____	_____
30	_____	_____

Results: Pass Fail

Conditions After Test:

Tubing Pressure: 2150 psiCasing/Tubing Annulus Pressure: 1000 psi

COMMENTS: _____

647 710 E4130 496 NPUMPER WILL BLEAD OFF CASING PRESSURE TOMORROW

Judy R Jones
Operator Representative

Utah Division of Oil, Gas, and Mining
Casing - Bradenhead Test

Operator: TEXACO E & P INC	Field/Unit: GREATER ANETH
Well: D-213	Township: 40S Range: 23E Sect: 13
API: 43-037-15830	Welltype: INJW Max Pressure: 2500
Lease type: FEDERAL	Surface Owner: FEDERAL
	Test Date:

CASING STRING	SIZE	SET AT	PRESSURE <i>5 x / cmt</i>	OBSERVATIONS <i>TYPE</i>
Surface:	8 5/8	449	<i>300</i>	<i>200 / 370 GEL + 270 C₂C₁ 100 NEAT / 270 C₂C₁</i>
Intermediate:		0		
Production:	5 1/2	6013 <i>6011</i>	<i>250</i>	<i>CONSTRUCTION CEMENT</i>
Other:	4	6000 5995		<i>CMT TO SURFACE</i>
Tubing:	2 3/8			
Packer:		<i>5723'</i> 5758		

Recommendations:



Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "Don R. Sellars". The signature is fluid and cursive, with the first name "Don" being prominent.

Don R. Sellars

Sr. Environmental Specialist


TRANSFER OF AUTHORITY TO INJECT

Well Name and Number Orangeville & Huntington, Emery County, Utah (See Attached Well List)		API Number
Location of Well Footage : See attached well locations County : Emery QQ, Section, Township, Range: State : UTAH		Field or Unit Name See Attached Well List Lease Designation and Number See Attached Well List

EFFECTIVE DATE OF TRANSFER: 5/1/2002


CURRENT OPERATOR

Company: Texaco Exploration and Production Inc
Address: 3300 North Butler, Suite 100
city Farmington state NM zip 87401
Phone: (505) 325-4397
Comments:


Name: Allen S. Robinson
Signature: 
Title: Attorney-In-Fact
Date: April 30, 2002

NEW OPERATOR

Company: Chevron U.S.A. Inc.
Address: P.O. Box 36366
city Houston state TX zip 79702
Phone: (915) 687-2000
Comments:

Name: J. Scott Purdy
Signature: 
Title: Attorney-In-Fact
Date: May 1, 2002

(This space for State use only)

Transfer approved by: 
Title: Tech Services Manager

Approval Date: 10/21/02

Comments:

RECEIVED

MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER Operator Name Change

2. NAME OF OPERATOR:
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR:
P.O. Box 1150 CITY Midland STATE TX ZIP 79702

PHONE NUMBER:
(915) 687-2000

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See Attached List of Well Locations

COUNTY: San Juan

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:
See Attached List of Wells

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Navajo Nation & State of Utah

7. UNIT or CA AGREEMENT NAME:
Aneth Unit

8. WELL NAME and NUMBER:
See Attached List of Wells

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<u>Change (Merger)</u>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The Aneth Unit and subject wells are located on both Navajo Nation and State of Utah lands, 4 1/2 miles North of Montezuma Creek, San Juan County, Utah. These wells will be protected by the following surety bonds.

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This replaces United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond #: U89-75-81-0034 in the amount of \$300,000.

BIA Nationwide Bond #: U89-75-81-0026 in the amount of \$150,000.

KEY CONTACTS:

Roger Atcitty - Operations Supervisor - 435-651-3277 x103
Ron Wackowski - Operations Manager - 970-675-3714

RECEIVED
MAY 06 2002
DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) Allen S. Robinson

TITLE Attorney-In-Fact

SIGNATURE Allen S. Robinson

DATE April 30, 2002

(This space for State use only)

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI

**THE
NAVAJO
NATION****MINERALS DEPARTMENT**

Post Office Box 1910

Window Rock, Arizona 86515

Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE
PRESIDENT**TAYLOR McKENZIE, M.D.**
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman
Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/cab

OPERATOR CHANGE WORKSHEET**ROUTING**

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X **Merger**The operator of the well(s) listed below has changed, effective: **05-01-2002**

FROM: (Old Operator):	TO: (New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No.**Unit:** **ANETH****WELL(S)**

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
MESA 1 (ANETH C411)	11-40S-23E	43-037-16034	99990	FEDERAL	WIW	I
BURTON 23-12 (ANETH B312)	12-40S-23E	43-037-16272	99990	FEDERAL	WIW	A
BURTON 31-12 (ANETH C-112)	12-40S-23E	43-037-16274	99990	FEDERAL	WIW	I
BURTON 42-12 (ANETH D212)	12-40S-23E	43-037-16278	99990	FEDERAL	WIW	A
ANETH UNIT D-412	12-40S-23E	43-037-30049	99990	FEDERAL	WIW	A
ANETH UNIT C-312	12-40S-23E	43-037-30112	99990	FEDERAL	WIW	A
BURTON 22-13 (ANETH B-213)	13-40S-23E	43-037-15825	99990	FEDERAL	WIW	A
BURTON 31-13 (ANETH C-113)	13-40S-23E	43-037-15827	99990	FEDERAL	WIW	A
BURTON 33-13 (ANETH C-313)	13-40S-23E	43-037-15828	99990	FEDERAL	WIW	A
BURTON 42-13 (ANETH D213)	13-40S-23E	43-037-15830	7000	FEDERAL	WIW	A
BURTON 44-13 (ANETH D-413)	13-40S-23E	43-037-16279	99990	FEDERAL	WIW	A
ANETH UNIT A-113	13-40S-23E	43-037-30119	99990	FEDERAL	WIW	A
ANETH UNIT D113	13-40S-23E	43-037-30174	7000	FEDERAL	WIW	A
ANETH B-413	13-40S-23E	43-037-30297	99990	FEDERAL	WIW	A
ANETH UNIT A-313	13-40S-23E	43-037-30299	99990	FEDERAL	WIW	A
ARROWHEAD 6 (ANETH B-114)	14-40S-23E	43-037-16032	99990	FEDERAL	WIW	A
ARROWHEAD 3 (ANETH C-214)	14-40S-23E	43-037-16033	99990	FEDERAL	WIW	A
ARROWHEAD 5 (ANETH C-414)	14-40S-23E	43-037-16035	99990	FEDERAL	WIW	A
ARROWHEAD 4 (ANETH D-314)	14-40S-23E	43-037-16038	99990	FEDERAL	WIW	A
ARROWHEAD 2 (ANETH B-314)	14-40S-23E	43-037-16273	99990	FEDERAL	WIW	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
- (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
- Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
- If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 11/13/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 11/13/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 8975810026

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☒ GAS WELL ☐ OTHER Injection wells

2. NAME OF OPERATOR:

Resolute Natural Resources Company

N2700

3. ADDRESS OF OPERATOR:

1675 Broadway, Suite 1950 CITY Denver

STATE CO ZIP 80202

PHONE NUMBER:

(303) 534-4600

5. LEASE DESIGNATION AND SERIAL NUMBER:

See Attachment

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Navajo

7. UNIT or CA AGREEMENT NAME:

Aneth Unit

8. WELL NAME and NUMBER:

See Attachment

9. API NUMBER:

See Attach

10. FIELD AND POOL, OR WILDCAT:

Desert Creek

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See Attachment

COUNTY: San Juan

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT)

Janet Pasque

TITLE

Vice President

SIGNATURE

Janet Pasque

DATE

11/30/04

(This space for state use only)

APPROVED 12/29/2004

ER

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER See attached exhibit.

2. NAME OF OPERATOR:
Resolute Natural Resources Company

3. ADDRESS OF OPERATOR:
1675 Broadway, Suite 1950 CITY **Denver** STATE **CO** ZIP **80202**

PHONE NUMBER:
(303) 534-4600

5. LEASE DESIGNATION AND SERIAL NUMBER:
See attached exhibit.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Navajo

7. UNIT or CA AGREEMENT NAME:
Aneth Unit

8. WELL NAME and NUMBER:
See attached exhibit.

9. API NUMBER:
See attached exhibit.

10. FIELD AND POOL, OR WILDCAT:
Aneth

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY: **San Juan**

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:
UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED

DEC 22 2004

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) **Chevron U.S.A. Inc.**

10210

TITLE **A. E. Wacker, Attorney-in-Fact**

SIGNATURE

A. E. Wacker

DATE **12/20/2004**

(This space for State use only)

APPROVED **12/29/2004**

ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number See attached exhibit.	API Number See attached exhibit.
Location of Well Footage: _____ County: <u>San Juan</u>	Field or Unit Name <u>Aneth Unit</u>
QQ, Section, Township, Range: _____ State: <u>UTAH</u>	Lease Designation and Number See attached exhibit.

EFFECTIVE DATE OF TRANSFER: 12/1/2004

CURRENT OPERATOR

N0210

Company: Chevron U.S.A. Inc.
Address: 1111 Bagby St.
city Houston state TX zip 77002
Phone: (713) 752-6000
Comments:

Name: A. E. Wacker
Signature: *A.E. Wacker*
Title: Attorney-in-Fact
Date: 12/20/2004

RECEIVED

DEC 22 2004

NEW OPERATOR

N2700

DIV. OF OIL, GAS & MINING

Company: Resolute Natural Resources Company
Address: 1675 Broadway, Suite 1950
city Denver state CO zip 80202
Phone: (303) 534-4600 *Xt*
Comments:

Name: *Janet Pogue xt*
Signature: *Janet Pogue*
Title: *Vice President*
Date: *12/21/04*

(This space for State use only)

Transfer approved by: *Daniel J. Finn*
Title: *VIC Geologist*

Approval Date: *12-29-04*

Comments: *Transfer of Authority to Inject into the Aneth C214 and Aneth B14 contingent on this office receiving a corrective action plan for each well. Both well Aneth 214 failed 5 year test on 10/13/2004. Operator would not conduct scheduled 5 year test on Aneth B14. (considered a failure).*

NUM	API_NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	Status 12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S	R24E	660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW	NW	36	T40S	R24E	660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW	NW	13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S	R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980'FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038	NE	SE	14	T40S	R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049	NW	NW	17	T40S	R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050	NW	NW	20	T40S	R24E	660' FNL/660' FWL	I-149-IND-8836	Active	E120	E120	Navajo Nation
E121	4303716051	NW	NW	21	T40S	R24E	660' FNL/760' FWL	I-149-IND-8836	Active	E121	E121	Navajo Nation
E126	4303716054	NW	NW	26	T40S	R24E	760' FNL/660' FWL	I-149-IND-8838	Active	E126	E126	Navajo Nation
E129	4303716055	NW	NW	29	T40S	R24E	660' FNL/660' FWL	14-20-603-4030	Active	E129	E129	Navajo Nation
E308	4303716060	NW	SW	8	T40S	R24E	1820' FSL/645' FWL	I-149-IND-8833	Active	E308	E308	Navajo Nation
E309	4303716061	NW	SW	9	T40S	R24E	1900' FSL/500' FWL	I-149-IND-8834	P/A			Navajo Nation
E317	4303716062	NW	SW	17	40S	24E	1980' FSL/660' FWL	I-149-IND-8835	Active	E317	E317	Navajo Nation
E318	4303716063	NW	SW	18	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E318	E318	Navajo Nation
E319	4303716064	NW	SW	19	T40S	R24E	2040' FSL/680' FWL	I-149-IND-8836	P/A			Navajo Nation
E320	4303716065	NW	SW	20	T40S	R24E	2140' FSL/820' FWL	I-149-IND-8836	Active	E320	E320	Navajo Nation
E321	4303716066	NW	SW	21	T40S	R24E	2140' FSL/720' FWL	I-149-IND-8836	Active	E321	E321	Navajo Nation
E322	4303716067	NW	SW	22	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8836	Active	E322	E322	Navajo Nation
E323	4303716068	NW	SW	23	T40S	R24E	1980' FSL/510' FWL	I-149-IND-8838	Active	E323	E323	Navajo Nation
E324	4303716069	NW	SW	24	T40S	R24E	1980' FSL/660'FWL	I-149-IND-8838	Active	E324	E324	Navajo Nation
E325	4303716070	NW	SW	25	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E325	E325	Navajo Nation
E326	4303716071	NW	SW	26	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E326	E326	Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24E	2140' FNL/2050' FWL	I-149-IND-8833	Active	F208	F208	Navajo Nation
F219	4303716077	SE	NW	19	T40S	R24E	1820' FNL/2140' FWL	I-149-IND-8836	Active	F219	F219	Navajo Nation
F221	4303716078	SE	NW	21	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F221	F221	Navajo Nation
F223	4303716079	SE	NW	23	T40S	R24E	1980' FNL/1820' FWL	I-149-IND-8838	Active	F223	F223	Navajo Nation
F225	4303716080	SE	NW	25	T40S	R24E	2040' FNL/2080' FWL	I-149-IND-8838	Active	F225	F225	Navajo Nation
F409	4303716082	SE	SW	9	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE	SW	21	T40S	R24E	585' FSL/1990' FWL	I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	SW	22	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F422	F422	Navajo Nation
F423	4303716086	SE	SW	23	T40S	R24E	770' FSL/1955' FWL	I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S	R24E	660' FSL/2100' FWL	I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	R24E	800' FNL/1910' FEL	I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E	1900' FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E	1975' FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E	1778' FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S	R24E	660' FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S	R24E	1820' FNL/820' FEL	SL-067807	T/A			State of Utah
H208	4303716119	SE	NE	8	T40S	R24E	2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	Navajo Nation
H218	4303716120	SE	NE	18	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S	R24E	1945' FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E	1820' FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125	SE	SE	10	T40S	R24E	625' FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE	SE	22	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE	SE	23	T40S	R24E	820' FSL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE	SE	25	T40S	R24E	660' FSL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	NW	29	T40S	R25E	620' FNL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132	NW	NW	30	T40S	R25E	720' FNL/590' FEL	I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW	SW	30	T40S	R25E	2060' FSL/800' FWL	I-149-IND-8839	Active	J330	J330	Navajo Nation
K230	4303716135	SE	NW	30	T40S	R25E	2075' FSL/2140' FWL	I-149-IND-8839	Shut-In	K230	K230	Navajo Nation
K430	4303716137	SE	SW	30	T40S	R25E	660' FSL/1980' FWL	I-149-IND-8839	Active	K430	K430	Navajo Nation
L330	4303716139	NW	SE	30	T40S	R25E	2120' FSL/1960' FEL	I-149-IND-8839	Active	L330	L330	Navajo Nation
L419	4303716140	SW	SE	19	T40S	R25E	660' FSL/1980' FEL	I-149-IND-8839	Active	L419	L419	Navajo Nation
M230	4303716141	SE	NE	30	T40S	R25E	1930' FNL/660' FEL	I-149-IND-8839	Active	M230	M230	Navajo Nation
E128	4303716222	NW	NW	28	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	Active	E128	E128	Navajo Nation
F227	4303716223	SE	NW	27	T40S	R24E	1980' FNL/1980' FWL	14-20-603-2056	T/A			Navajo Nation
G128	4303716224	NW	NE	28	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Shut-In	G128	G128	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24E	2080' FNL/560' FEL	14-20-603-2056	T/A			Navajo Nation
A124	4303716270	NW	NW	24	T40S	R23E	500' FNL/500'FWL	SL-0701010-C	Active			State of Utah
B123	4303716271	NE	NW	23	T40S	R23E	500' FNL/2140' FWL	SL-0701010	Active			State of Utah
B312	4303716272	NE	SW	12	T40S	R23E	3295' FNL/3348' FEL	SL-070968-A	Active	B312	B312	Navajo Nation
B314	4303716273	NE	SW	14	T40S	R23E	2030' FSL/2030' FWL	SL-070968	Active			State of Utah
C112	4303716274	NW	NE	12	T40S	R23E	658' FNL/1974' FEL	SL-070968-A	P/A			State of Utah
C124	4303716275	NW	NE	24	T40S	R23E	660' FNL/1980' FEL	SL-0701010-C	P/A			State of Utah
C223	4303716276	SW	NE	23	T40S	R23E	1820' FNL/1980' FEL	SL-0701010	P/A			State of Utah
D114	4303716277	NE	NE	14	T40S	R23E	660' FNL/760' FEL	SL-070968	Active			State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	1860' FNL/656' FEL	SL-070968-A	Shut-In	D212	D212	Navajo Nation
D413	4303716279	SE	SE	13	T40S	R23E	660' FSL/661' FEL	SL-070968-A	Active			State of Utah
E119	4303716280	NW	NW	19	T40S	R24E	500' FNL/820' FWL	I-149-IND-8836	Active	E119	E119	Navajo Nation
E207	4303716283	SW	NW	7	T40S	R24E	2030' FNL 750 FWL		T/A	E207	E207	
E208	4303716284	SW	NW	8	T40S	R24E	1930' FNL/500' FWL	I-149-IND-8833	T/A			Navajo Nation
F116	4303716285	NE	NW	16	T40S	R24E	660' FNL/1980' FWL	ML-3156	Active	F116	F116	Navajo Nation
F217	4303716286	SE	NW	17	T40S	R24E	1890' FNL/1930' FWL	I-149-IND-8835	Active	F217	F217	Navajo Nation
F218	4303716287	SE	NW	18	T40S	R24E	1970' FNL/2060' FWL	I-149-IND-8835	Active	F218	F218	Navajo Nation
F220	4303716288	SE	NW	20	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F220	F220	Navajo Nation
F224	4303716289	SE	NW	24	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8838	Active	F224	F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S	R24E	1950' FNL/1900' FWL	I-149-IND-8838	Active	F226	F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S	R24E	2015' FNL/1930' FWL	14-20-603-4030	P/A	F229	F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235	F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S	R24E	1980' FNL/1980' FWL	14-20-603-5444	Active	F236	F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S	R24E	1820' FSL/1980'FWL	I-149-IND-8837	P/A			Navajo Nation
F315	4303716296	NE	SW	15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315	F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E	2260' FSL/2140' FWL	ML-3156	Active	F316	F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8833	Active	F408	F408	Navajo Nation
F417	4303716299	SE	SW	17	T40S	R24E	500' FSL/2140' FWL	I-149-IND-8835	Active	F417	F417	Navajo Nation
F420	4303716300	SE	SW	20	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F420	F420	Navajo Nation
F425	4303716301	SE	SW	25	T40S	R24E	795' FSL/1960' FWL	I-149-IND-8838	Active	F425	F425	Navajo Nation
F426	4303716302	SE	SW	26	T40S	R24E	632' FSL/1867' FWL	I-149-IND-8838	P/A			Navajo Nation
F434	4303716303	SE	SW	34	T40S	R24E	815' FSL/1860' FWL	14-20-603-2056	P/A			Navajo Nation
F435	4303716304	SE	SW	35	T40S	R24E	820' FSL/1930' FWL	14-20-603-2059	T/A			Navajo Nation
G123	4303716306	NW	NE	23	T40S	R24E	660' FNL/1530' FEL	I-149-IND-8838	Active	G123	G123	Navajo Nation
G127	4303716307	NW	NE	27	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Active	G127	G127	Navajo Nation
G319	4303716309	NW	SE	19	T40S	R24E	1920' FSL/2060' FEL	I-149-IND-8836	Active	G319	G319	Navajo Nation
H216	4303716312	SE	NE	16	T40S	R24E	3331' FSL/703' FEL	ML-3156	Active	H216	H216	Navajo Nation
H217	4303716313	SE	NE	17	T40S	R24E	2070' FNL/820' FEL	I-149-IND-8833	Active	H217	H217	Navajo Nation
H220	4303716314	SE	NE	20	T40S	R24E	2025' FNL/560' FEL	I-149-IND-8833	Active	H220	H220	Navajo Nation
H226	4303716316	SE	NE	26	T40S	R24E	1980' FNL/780' FEL	I-149-IND-8838	Active	H226	H226	Navajo Nation
H227	4303716317	SE	NE	27	T40S	R24E	1980' FNL/630' FEL	14-20-603-2056	Active	H227	H227	Navajo Nation
H229	4303716318	SE	NE	29	T40S	R24E	1820' FNL/660' FEL	14-20-603-4030	Shut-In	H229	H229	Navajo Nation
H234	4303716319	SE	NE	34	T40S	R24E	1980' FNL/660' FEL	14-20-603-2056	Active	H234	H234	Navajo Nation
H235	4303716320	SE	NE	35	T40S	R24E	2000' FNL/770' FEL	14-20-603-2059	Active	H235	H235	Navajo Nation
H407	4303716322	SE	SE	7	T40S	R24E	645' FSL/500' FEL	I-149-IND-8835	Active	H407	H407	Navajo Nation
H408	4303716323	SE	SE	8	T40S	R24E	500' FSL/530' FEL	I-149-IND-8834	Active	H408	H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417	H417	Navajo Nation

H418	4303716327	SE	SE	18	T40S	R24E	660' FSL/660' FEL	I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S	R24E	570' FSL/450' FEL	I-149-IND-8836	P/A			Navajo Nation
H420	4303716329	SE	SE	20	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S	R24E	500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S	R24E	820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S	R25E	2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S	R25E	670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E	720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S	R24E	660' FNL/1980' FEL	ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW	NE	26	T40S	R24E	860' FNL/1780' FEL	I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S	R24E	1920' FNL/1980' FWL	I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S	R24E	570' FNL/1960' FEL	I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S	R24E	1950' FSL/570' FEL	I-149-IND-8837	Active	H314X	H314X	Navajo Nation

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

Effective CA on:

12/1/2004**FROM: (Old Operator):**

N0210-Chevron USA, Inc.

PO Box 4791

Houston, TX 77210-4791

Phone: 1-(713) 752-7431

TO: (New Operator):

N2700-Resolute Natural Resources Company

1675 Broadway, Suite 1950

Denver, CO 80202

Phone: 1-(303) 534-4600

CA No.

Unit:

ANETH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
MESA 1 (ANETH C411)	11	400S	230E	4303716034	99990	Federal	WI	I
BURTON 23-12 (ANETH B312)	12	400S	230E	4303716272	99990	Federal	WI	A
BURTON 31-12 (ANETH C-112)	12	400S	230E	4303716274	99990	Federal	WI	I
BURTON 22-13 (ANETH B-213)	13	400S	230E	4303715825	99990	Federal	WI	A
BURTON 31-13 (ANETH C-113)	13	400S	230E	4303715827	99990	Federal	WI	A
BURTON 33-13 (ANETH C-313)	13	400S	230E	4303715828	99990	Federal	WI	A
BURTON 42-13 (D213)	13	400S	230E	4303715830	7000	Federal	WI	A
ARROWHEAD 6 (ANETH B-114)	14	400S	230E	4303716032	99990	Federal	WI	A
ARROWHEAD 3 (ANETH C-214)	14	400S	230E	4303716033	99990	Federal	WI	A
ARROWHEAD 5 (ANETH C-414)	14	400S	230E	4303716035	99990	Federal	WI	A
ARROWHEAD 4 (ANETH D-314)	14	400S	230E	4303716038	99990	Federal	WI	A
ARROWHEAD 2 (ANETH B-314)	14	400S	230E	4303716273	99990	Federal	WI	A
A W RICE 2 (ANETH B-123)	23	400S	230E	4303716271	99990	Federal	WI	A
A W RICE 3 (ANETH C-223)	23	400S	230E	4303716276	99990	Federal	WI	A
FEDERAL A-1 (ANETH A-124)	24	400S	230E	4303716270	99990	Federal	WI	A
FEDERAL 1 (ANETH C-124)	24	400S	230E	4303716275	99990	Federal	WI	A
W ISMY FED 3 (ANETH E307)	07	400S	240E	4303715412	99990	Federal	WI	A
W ISMAY FED 2 (ANETH F-407)	07	400S	240E	4303715415	99990	Federal	WI	A
NAVAJO FED 6-1 (ANETH G-307)	07	400S	240E	4303716100	99990	Federal	WI	A
NAVAJO FED 7-1 (ANETH H-207)	07	400S	240E	4303716118	99990	Federal	WI	I
ANETH U E-118 (W ISMY FED 1)	18	400S	240E	4303715413	99990	Federal	WI	A
NAVAJO TRIBAL 4 (ANETH E-318)	18	400S	240E	4303716063	99990	Federal	WI	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/20042. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/20043. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/20044. Is the new operator registered in the State of Utah: YES Business Number: 5733505-01435. If **NO**, the operator was contacted on:

6a. (R649-9-2) Waste Management Plan has been received on: _____ requested

6b. Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 12/29/2004
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 12/29/2004
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: separate list
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264


FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number B001262
2. The FORMER operator has requested a release of liability from their bond on: not yet
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:



43-037-15830
13 40S DSE

Residual 13-40S-23E
SL 020168A

Witnessed by UDOGM
7/23/14
Mark Flores

CHART NO. 7-23-2014
MC MP-2000-IH
H. Hill
TAKEN OFF
REMARKS Au D-23
Line = 1 minute

Residual 1000 psf for 15 minutes